Author Index of Volume 202

Abd-El-Aziz, A. S., 123
Adhikhari, B., 145
Aguiari, A., 157
Akrivos, P. D., 73
Arion, V. B., 173
Atchekzaï, J., 49
Aubry, A., 73
Avila-Rosón, J. C., 219

Baba, Y., 237
Bandoli, G., 191
Batista, A. A., 37
Bereman, R. D., 127
Birca, M. S., 173
Bisi Castellani, C., 59
Brown, P., 3
Bullita, E., 157

Calderazzo, F., 121
Carper, W. R., 89
Carugo, O., 59
Casellato, U., 157
Cassoux, P., 131
Castellano, E. E., 37
Ceulemans, A., 101
Choi, S.-N., 127
Chow, M.-Y., 231
Colacio, E., 219
Colbran, S. B., 67
Colton, R., 95
Coninckx, B., 101
Cornelissen, J. P., 131
Cowan, J. A., 241

De Blas, A., 115
De Santis, G., 115
Djinović, K., 59
Dobos, S., 7
Dolmella, A., 191
Dominguez-Vera, J. M., 219
Dorfman, J. R., 127
du Preez, J. G. H., 191

Ellert, O., 173

Fabbrizzi, L., 115
Farrell, N., 79
Faulmann, C., 131
Fawcett, J., 111
Felten, C., 121
Forster, L. S., 141
Frange, B., 49
Fujita, J., 183

Geanangel, R. A., 211
Gerbeleu, N. V., 173
Gerber, T. I. A., 191
Ghuman, M. A., 211
Głowiak, T., 19, 43
Goubitz, K., 197
Gradinaru, D. I., 173
Guerriero, P., 157
Guilhon, F., 49
Gulinati, B., 43

Haasnoot, J. G., 131
Hacker, M. P., 79
Hannongbua, S., 85
Hanton, L. R., 67
Harrison, P. G., 3
Hasumi, F., 1
Hazell, A., 145
Hidalgo, M. A., 219
Hiraki, K., 27
Holloway, J. H., 111

Jones, R. L., 53

Kapsomenos, G., 73
Karagiannidis, P., 73
Keller, A., 19
Kemp, H. J., 191
King, G. S. D., 101
Kita, M., 183
Kozlowski, H., 43
Kraakman, M. J. A., 197

la Cour, A., 145
Landi, J., 79
Legros, J.-P., 131
Licchelli, M., 115
Lipscomb, L. A., 53

Mak, T. C. W., 231
Mallela, S. P., 211
Mangano, C., 115
Martín-Ramos, D., 219
Matsumoto, K., 31
Matsumoto, T., 31
McManus, J., 3
Micera, G., 43
Miyajima, T., 237
Mizuno, H., 183
Mongeot, H., 49
Moreton, S., 225

Nascimento, O. R., 37
Nigrey, P. J., 131
Nonoyama, M., 183
Numan, M., 197

Okura, I., 1
Oliva, G., 37
Olmo, L. R. V., 37
Onishi, M., 27

Pallavicini, P., 115
Pampaloni, G., 121
Pasynskii, A. A., 173
Pflug, J. L., 89
Reedijk, J., 131
Rehder, D., 121
Rund, J. V., 141

Sato, T., 31
Saunders, G. C., 111
Schriemer, D. C., 123
Sembiring, S. B., 67
Shilatifard, A., 53
Simonov, Yu. A., 173
Skoulika, S., 73
Sola, M., 241
Stavrov, S. S., 173
Strinna Erre, L., 43
Suárez-Varela, J., 219
Szterenberg, L., 19

Takats, J., 7
Tamburini, S., 157
Tateda, A., 237
Tedesco, V., 95
Toftlund, H., 145
Tokushige, N., 237
Tsuhako, M., 237
Turta, K. I., 173

Ueda, N., 237

Vandermark, J., 141
VanDerveer, D., 53
Vanhecke, M., 101
Vigato, P. A., 157
Vrieze, K., 197

Wilkes, J. S., 89
Williams, D. J., 53

Yamamoto, T., 1
Yoza, N., 237

Zavodnik, V. E., 173
Zeegers-Huyskens, Th., 101

Elsevier Sequoia

Subject Index of Volume 202

Alkylsilyl complexes
synthesis and studies of new tris(trimethylsilyl)silyl derivatives of germanium and tin, 211
Alkyne complexes
bis(alkyne) complexes of niobium(I), containing the alkyne as a three-electron donating ligand, 121
Alumina complexes
FT-IR study of the interaction of $(\mu\text{-}C_7H_7)FeCo(\mu\text{-}CO)(CO)_4$, $(\eta^4\text{-}C_7H_8)Fe(CO)_3$ and $(\eta^3\text{-}C_7H_7)Co(CO)_3$ with hydroxylated alumina surfaces, 7
Aluminium compounds
dual spin probe NMR relaxation studies of ionic structure in 1-ethyl-3-methylimidazolium chloride–$AlCl_3$ molten salts, 89
Amine complexes
sulfoxides as leaving groups. Effect of sterically hindered aliphatic sulfoxides on the antitumor activity of chloro(substituted sulfoxide)(1,1-diaminomethylcyclohexane)platinum(II) nitrate, 79
Ammonia complexes
the effect of temperature on photoprocesses in acetone solutions of $Cr(NH_3)_2(NCS)_4$, 141
Antitumor activity
sulfoxides as leaving groups. Effect of sterically hindered aliphatic sulfoxides on the antitumor activity of chloro(substituted sulfoxide)(1,1-diaminomethylcyclohexane)platinum(II) nitrate, 79
Aryl complexes
synthesis and structure of the coordinatively unsaturated σ-aryl rhodium(III) complex $Rh(C_6H_5)Cl_2(PPh_3)_2$, 111

Barium complexes
a polymeric 1:2 adduct of barium thiocyanate with pyridine betaine, $Ba(C_5H_5NCH_2CO_2)_2(NCS)_2$, 231
Bidentate ligand complexes
crystal structure of a polymeric complex of lead(II) with 2,6-dihydroxybenzoic acid, 43
the preparation, properties and X-ray crystal structure of the nickel(II) hydroquinonylphosphine complex *cis*-$[Ni(pphqH)_2]\cdot H_2O\cdot 2(CH_3)_2NCHO$, 67
preparation, characterization, and electron spin resonance study of a low spin Co(II) N_2S_2 complex, 127
racemization kinetics and spin states of four-coordinate nickel(II) complexes with bidentate NS ligands, $[pyrR_2R_3(NR_1S)]_2Ni$. A comparative study, 145
preparation and properties of $FeRu(CO)_5(L)(\alpha\text{-diimine})$ (α-diimine = R-DAB, R-Pyca; L = PR_3, CO); the reduction of the coordinated 1,4-diaza-1,3-butadiene to dianionic 1,2-diaminoethane by reaction with hydrogen, 197
Bidentate selenium ligand complexes
crystal structures and electrochemical properties of two phases of tetrabutylammonium bis(1,3-dithiole-2-thione-4,5-diselenolato)nickelate(III), 131
Block f metal complexes
macrocyclic and macroacyclic compartmental Schiff bases: synthesis, characterization, X-ray structure and interaction with metal ions, 157
Borazine complexes
simplified synthesis of B-trichloro *N*-trialkylborazines $(ClBNR)_3$, R = Me, Et, and of heterocycles related to 1,3-diaza-2,4-diboranaphthalene $(ClBNC_6H_5)_2$, 49
Boron complexes
simplified synthesis of B-trichloro *N*-trialkylborazines $(ClBNR)_3$, R = Me, Et, and of heterocycles related to 1,3-diaza-2,4-diboranaphthalene $(ClBNC_6H_5)_2$, 49

Carbonyl complexes
FT-IR study of the interaction of $(\mu\text{-}C_7H_7)FeCo(\mu\text{-}CO)(CO)_4$, $(\eta^4\text{-}C_7H_8)Fe(CO)_3$ and $(\eta^3\text{-}C_7H_7)Co(CO)_3$ with hydroxylated alumina surfaces, 7
synthesis, characterization and molecular structure of the 1-methylimidazolium carbonyl-1-methylimidazoletetrachlororuthenate(III), 37
preparation and properties of $FeRu(CO)_5(L)(\alpha\text{-diimine})$ (α-diimine = R-DAB, R-Pyca; L = PR_3, CO); the reduction of the coordinated 1,4-diaza-1,3-butadiene to dianionic 1,2-diaminoethane by reaction with hydrogen, 197
NMR studies of some carbonyl complexes of iridium(I) and (III), 225
Catalysis
phosphine steric effects on the catalytic activities of a few chloro(tertiary phosphine)copper(I) oligomers in photoisomerizations of norbornadiene and *trans*-stilbene, 27
Chelate complexes
crystal structure of a polymeric complex of lead(II) with 2,6-dihydroxybenzoic acid, 43
the preparation, properties and X-ray crystal structure of the nickel(II) hydroquinonylphosphine complex *cis*-$[Ni(pphqH)_2]\cdot H_2O\cdot 2(CH_3)_2NCHO$, 67
preparation, characterization and electron spin resonance study of a low spin Co(II) N_2S_2 complex, 127
Chelate ligand compounds
correlation between the structural features of the *ortho*-quinone monooxime complexes and the charge distribution within the ligands. Part X, 59
Chromium complexes
the effect of temperature on photoprocesses in acetone solutions of $Cr(NH_3)_2(NCS)_4$, 141
Cobalt complexes
FT-IR study of the interaction of $(\mu\text{-}C_7H_7)FeCo(\mu\text{-}CO)(CO)_4$, $(\eta^4\text{-}C_7H_8)Fe(CO)_3$ and $(\eta^3\text{-}C_7H_7)Co(CO)_3$ with hydroxylated alumina surfaces, 7
crystal structure of $[Co(C_{10}H_{20}N_8)Cl(H_2O)]Cl\cdot H_2O$ and FT-IR study (4000–50 cm^{-1}) of some related Cu(II), Ni(II) and Co(II) macrocyclic tetraimine complexes, 101
preparation, characterization and electron spin resonance study of a low spin Co(II) N_2S_2 complex, 127
Copper complexes
phosphine steric effects on the catalytic activities of a few chloro(tertiary phosphine)copper(I) oligomers in photoisomerizations of norbornadiene and *trans*-stilbene, 27
preparation and study of three-coordinate mixed ligand copper(I) compounds. Molecular and crystal structure

of (tricyclohexylphosphine)(2-thioxohexamethyleneimine)copper(I) iodide, 73
a novel example of a direct interaction between the carbonyl oxygen, O(6), of a N(7)-bonded 6-oxopurine and copper(II). Preparation, spectroscopic study and crystal structure of bis(8-methylthiotheophyllinato)bis(pyridine)copper(II), 219
Crystal structure(s)
reductive nitrosylation of molybdate(VI) by hydroxylamine in alcoholic solutions. Preparation, spectroscopic characterization and electronic structure of mono- and dinitrosyl molybdenum complexes. Crystal structure of $[Mo(NO)Cl(OMe)_2(phen)]\cdot MeOH$, 19
syntheses, crystal structure and spectroscopic properties of sulfur-bridged trinuclear complexes, $[\{Ru(TMP)_4\}_2(\mu\text{-}MS_4)](PF_6)_2$ (M = Mo,W; TMP = $P(OMe)_3$), 31
synthesis, characterization and molecular structure of the 1-methylimidazolium carbonyl-1-methylimidazoletetrachlororuthenate(III), 37
crystal structure of a polymeric complex of lead(II) with 2,6-dihydroxybenzoic acid, 43
main group metal halide complexes with sterically hindered thioureas XIII. Crystallographic study of a unique cross-linked polymeric dichlorolead(II) complex with 1,1′-methylenebis(3-methyl-2(3*H*)-imidazolethione), 53
the preparation, properties and X-ray crystal structure of the nickel(II) hydroquinonylphosphine complex *cis*-$[Ni(pphqH)_2]\cdot H_2O\cdot 2(CH_3)_2NCHO$, 67
preparation and study of three-coordinate mixed ligand copper(I) compounds. Molecular and crystal structure of (tricyclohexylphosphine)(2-thioxohexamethyleneimine)copper(I) iodide, 73
crystal structure of $[Co(C_{10}H_{20}N_8)Cl(H_2O)]Cl\cdot H_2O$ and FT-IR study (4000–50 cm^{-1}) of some related Cu(II), Ni(II) and Co(II) macrocyclic tetraimine complexes, 101
synthesis and structure of the coordinatively unsaturated σ-aryl rhodium(III) complex $Rh(C_6H_5)Cl_2(PPh_3)_2$, 111
crystal structures and electrochemical properties of two phases of tetrabutylammonium bis(1,3-dithiole-2-thione-4,5-diselenolato)nickelate(III), 131
macrocyclic and macroacyclic compartmental Schiff bases: synthesis, characterization, X-ray structure and interaction with metal ions, 157
synthesis, geometrical and electronic structure of iron mononitrosyl complexes with bis(*S*-alkylisothiosemicarbazones) of β-dicarbonyl compounds, 173
cyclopalladated *N*,*N*-dimethylthiophene-2- and -3-carboselenoamide derivatives, 183
synthesis and characterization of technetium(V) and (VII) complexes with bidentate nitrogen donor ligands. X-ray molecular structures of tetrabutylammonium bis(1,2-diimidobenzene)oxotechnetium(V) and tris(1,2-diimidobenzene)technetium(VII) pertechnetate, 191
preparation and properties of $FeRu(CO)_5(L)(\alpha\text{-diimine})$ (α-diimine = R-DAB, R-Pyca; L = PR_3, CO); the reduction of the coordinated 1,4-diaza-1,3-butadiene to dianionic 1,2-diaminoethane by reaction with hydrogen, 197
a novel example of a direct interaction between the carbonyl oxygen, O(6), of a N(7)-bonded 6-oxopurine and copper(II). Preparation, spectroscopic study and crystal structure of bis(8-methylthiotheophyllinato)bis(pyridine)copper(II), 219
a polymeric 1:2 adduct of barium thiocyanate with pyridine betaine, $Ba(C_5H_5NCH_2CO_2)_2(NCS)_2$, 231
Cyclopalladate ligand complexes
cyclopalladated *N*,*N*-dimethylthiophene-2- and -3-carboselenoamide derivatives, 183
Cyclopentadienyl complexes
the synthesis of new di(cyclopentadienyliron) complexes of polyaromatic ethers, 123

Diolefin complexes
phosphine steric effects on the catalytic activities of a few chloro(tertiary phosphine)copper(I) oligomers in photoisomerizations of norbornadiene and *trans*-stilbene, 27
Dithiolato complexes
multinuclear magnetic resonance studies on the interactions of platinum bis(dithiolates) with potentially tridentate phosphine ligands, 95
Dithiophosphate complexes
the nature of zinc(II) bis(*O*,*O*′-dialkyl dithiophosphates) in ethanol: complexation or ionisation?, 3

Electrochemistry
crystal structures and electrochemical properties of two phases of tetrabutylammonium bis(1,3-dithiole-2-thione-4,5-diselenolato)nickelate(III), 131
Electronic structures
reductive nitrosylation of molybdate(VI) by hydroxylamine in alcoholic solutions. Preparation, spectroscopic characterization and electronic structure of mono- and dinitrosyl molybdenum complexes. Crystal structure of $[Mo(NO)Cl(OMe)_2(phen)]\cdot MeOH$, 19
synthesis, geometrical and electronic structure of iron mononitrosyl complexes with bis(*S*-alkylisothiosemicarbazones) of β-dicarbonyl compounds, 173
Enzyme
splitting of water by irradiation of visible light with a grana–NADP–FNR–NAD–hydrogenase system, 1

Ferrocene complexes
template synthesis of a ferrocene–metallocyclam conjugate, 115

Germanium complexes
synthesis and studies of new tris(trimethylsilyl)silyl derivatives of germanium and tin, 211

Halide complexes
simplified synthesis of B-trichloro *N*-trialkylborazines $(ClBNR)_3$, R = Me, Et, and of heterocycles related to 1,3-diaza-2,4-diboranaphthalene $(ClBNC_6H_5)_2$, 49
main group metal halide complexes with sterically hindered thioureas XIII. Crystallographic study of a unique cross-linked polymeric dichlorolead(II) complex with 1,1′-methylenebis(3-methyl-2(3*H*)-imidazolethione), 53
Halide compounds
dual spin probe NMR relaxation studies of ionic structure in 1-ethyl-3-methylimidazolium chloride–$AlCl_3$ molten salts, 89
Hemes
assignment of heme resonances in the ^1H NMR spectrum of oxidized *Desulfovibrio vulgaris* (Hildenborough) cytochrome c_3, 241
Heterocyclic sulfur ligand complexes
preparation and study of three-coordinate mixed ligand copper(I) compounds. Molecular and crystal structure of (tricyclohexylphosphine)(2-thioxohexamethyleneimine)copper(I) iodide, 73

Imidazole complexes
synthesis, characterization and molecular structure of the 1-methylimidazolium carbonyl-1-methylimidazoletetrachloro- ruthenate(III), 37
Imidazolium compounds
dual spin probe NMR relaxation studies of ionic structure in 1-ethyl-3-methylimidazolium chloride–$AlCl_3$ molten salts, 89
Imido complexes
synthesis and characterization of technetium(V) and (VII) complexes with bidentate nitrogen donor ligands. X-ray molecular structures of tetrabutylammonium bis(1,2-diimidobenzene)oxotechnetium(V) and tris(1,2-diimidobenzene)technetium(VII) pertechnetate, 191
Iridium complexes
NMR studies of some carbonyl complexes of iridium(I) and (III), 225
Iron complexes
FT-IR study of the interaction of $(\mu\text{-}C_7H_7)FeCo(\mu\text{-}CO)(CO)_4$, $(\eta^4\text{-}C_7H_8)Fe(CO)_3$ and $(\eta^3\text{-}C_7H_7)Co(CO)_3$ with hydroxylated alumina surfaces, 7
the synthesis of new di(cyclopentadienyliron) complexes of polyaromatic ethers, 123
synthesis, geometrical and electronic structure of iron mononitrosyl complexes with bis(*S*-alkylisothiosemicarbazones) of β-dicarbonyl compounds, 173
preparation and properties of $FeRu(CO)_5(L)(\alpha\text{-diimine})$ (α-diimine = R-DAB, R-Pyca; L = PR_3, CO); the reduction of the coordinated 1,4-diaza-1,3-butadiene to dianionic 1,2-diaminoethane by reaction with hydrogen, 197
Isothiocyanate complexes
the effect of temperature on photoprocesses in acetone solutions of $Cr(NH_3)_2(NCS)_4$, 141

Kinetics and mechanism
racemization kinetics and spin states of four-coordinate nickel(II) complexes with bidentate NS ligands, [pyr-$R_2R_3(NR_1S)]_2Ni$. A comparative study, 145

Lead complexes
crystal structure of a polymeric complex of lead(II) with 2,6-dihydroxybenzoic acid, 43
main group metal halide complexes with sterically hindered thioureas XIII. Crystallographic study of a unique cross-linked polymeric dichlorolead(II) complex with 1,1′-methylenebis(3-methyl-2(3*H*)-imidazolethione), 53

Macrocyclic ligand complexes
macrocyclic effect and conformational analysis of the mixed-donor macrocycle 12-ane N_2O_2 by means of quantum chemical methods, 85
crystal structure of $[Co(C_{10}H_{20}N_8)Cl(H_2O)]Cl\cdot H_2O$ and FT-IR study (4000–50 cm^{-1}) of some related Cu(II), Ni(II) and Co(II) macrocyclic tetraimine complexes, 101
template synthesis of a ferrocene–metallocyclam conjugate, 115
Molecular orbital study
macrocyclic effect and conformational analysis of the mixed-donor macrocycle 12-ane N_2O_2 by means of quantum chemical methods, 85
Molten salt compounds
dual spin probe NMR relaxation studies of ionic structure in 1-ethyl-3-methylimidazolium chloride–$AlCl_3$ molten salts, 89
Molybdenum complexes
reductive nitrosylation of molybdate(VI) by hydroxylamine in alcoholic solutions. Preparation, spectroscopic characterization and electronic structure of mono- and dinitrosyl molybdenum complexes. Crystal structure of $[Mo(NO)Cl(OMe)_2(phen)]\cdot MeOH$, 19

Nickel complexes
the preparation, properties and X-ray crystal structure of the nickel(II) hydroquinonylphosphine complex *cis*-$[Ni(pphqH)_2]\cdot H_2O\cdot 2(CH_3)_2NCHO$, 67
crystal structures and electrochemical properties of two phases of tetrabutylammonium bis(1,3-dithiole-2-thione-4,5-diselenolato)- nickelate(III), 131
racemization kinetics and spin states of four-coordinate nickel(II) complexes with bidentate NS ligands, [pyr-$R_2R_3(NR_1S)]_2Ni$. A comparative study, 145
Niobium complexes
bis(alkyne) complexes of niobium(I), containing the alkyne as a three-electron donating ligand, 121
Nitrosyl complexes
reductive nitrosylation of molybdate(VI) by hydroxylamine in alcoholic solutions. Preparation, spectroscopic characterization and electronic structure of mono- and dinitrosyl molybdenum complexes. Crystal structure of $[Mo(NO)Cl(OMe)_2(phen)]\cdot MeOH$, 19
synthesis, geometrical and electronic structure of iron mononitrosyl complexes with bis(*S*-alkylisothiosemicarbazones) of β-dicarbonyl compounds, 173
NMR study
multinuclear magnetic resonance studies on the interactions of platinum bis(dithiolates) with potentially tridentate phosphine ligands, 95
assignment of heme resonances in the ^1H NMR spectrum of oxidized *Desulfovibrio vulgaris* (Hildenborough) cytochrome c_3, 241

Oxime compounds
correlation between the structural features of the *ortho*-quinone monooxime complexes and the charge distribution within the ligands. Part X, 59
Oxoacid compounds
high-performance liquid chromatographic and ^{31}P NMR spectroscopic evidence for novel analogue of triphosphate formed by phosphonylation of orthophosphate with diphosphonate, 237
Oxo complexes
synthesis and characterization of technetium(V) and (VII) complexes with bidentate nitrogen donor ligands. X-ray molecular structures of tetrabutylammonium bis(1,2-diimidobenzene)oxotechnetium(V) and tris(1,2-diimidobenzene)technetium(VII) pertechnetate, 191
Oxopurine complexes
a novel example of a direct interaction between the carbonyl oxygen, O(6), of a N(7)-bonded 6-oxopurine and copper(II). Preparation, spectroscopic study and crystal structure of bis(8-methylthiotheophyllinato)bis-(pyridine)copper(II), 219

Palladium complexes
cyclopalladated *N,N*-dimethylthiophene-2- and -3-carboselenoamide derivatives, 183
Phosphine complexes
the preparation, properties and X-ray crystal structure of the nickel(II) hydroquinonylphosphine complex *cis*-$[Ni(pphqH)_2]\cdot H_2O\cdot 2(CH_3)_2NCHO$, 67

Phosphorus compounds
high-performance liquid chromatographic and ^{31}P NMR spectroscopic evidence for novel analogue of triphosphate formed by phosphonylation of orthophosphate with diphosphonate, 237
Photochemistry
splitting of water by irradiation of visible light with a grana–NADP–FNR–NAD–hydrogenase system, 1
the effect of temperature on photoprocesses in acetone solutions of $Cr(NH_3)_2(NCS)_4$, 141
Photolysis
phosphine steric effects on the catalytic activities of a few chloro(tertiary phosphine)copper(I) oligomers in photoisomerizations of norbornadiene and *trans*-stilbene, 27
Platinum complexes
sulfoxides as leaving groups. Effect of sterically hindered aliphatic sulfoxides on the antitumor activity of chloro(substituted sulfoxide)(1,1-diaminomethylcyclohexane)platinum(II) nitrate, 79
multinuclear magnetic resonance studies on the interactions of platinum bis(dithiolates) with potentially tridentate phosphine ligands, 95
Polyaromatic ether complexes
the synthesis of new di(cyclopentadienyliron) complexes of polyaromatic ethers, 123
Polydentate ligand complexes
multinuclear magnetic resonance studies on the interactions of platinum bis(dithiolates) with potentially tridentate phosphine ligands, 95
Proteins
assignment of heme resonances in the ^1H NMR spectrum of oxidized *Desulfovibrio vulgaris* (Hildenborough) cytochrome c_3, 241

Quinone compounds
correlation between the structural features of the *ortho*-quinone monooxime complexes and the charge distribution within the ligands. Part X, 59

Rhodium complexes
synthesis and structure of the coordinatively unsaturated σ-aryl rhodium(III) complex $Rh(C_6H_5)Cl_2(PPh_3)_2$, 111
Ruthenium complexes
syntheses, crystal structure and spectroscopic properties of sulfur-bridged trinuclear complexes, $[\{Ru(TMP)_4\}_2(\mu\text{-}MS_4)](PF_6)_2$ (M = Mo,W; TMP = $P(OMe)_3$), 31
synthesis, characterization and molecular structure of the 1-methylimidazolium carbonyl-1-methylimidazoletetrachlororuthenate(III), 37
preparation and properties of $FeRu(CO)_5(L)(\alpha\text{-diimine})$ (α-diimine = R-DAB, R-Pyca; L = PR_3, CO); the reduction of the coordinated 1,4-diaza-1,3-butadiene to dianionic 1,2-diaminoethane by reaction with hydrogen, 197

Schiff base complexes
macrocyclic and macroacyclic compartmental Schiff bases: synthesis, characterization, X-ray structure and interaction with metal ions, 157
Sulfoxide complexes
sulfoxides as leaving groups. Effect of sterically hindered aliphatic sulfoxides on the antitumor activity of chloro(substituted sulfoxide)(1,1-diaminomethylcyclohexane)platinum(II) nitrate, 79
Sulfur complexes
syntheses, crystal structure and spectroscopic properties of sulfur-bridged trinuclear complexes, $[\{Ru(TMP)_4\}_2(\mu\text{-}MS_4)](PF_6)_2$ (M = Mo,W; TMP = $P(OMe)_3$), 31

Technetium complexes
synthesis and characterization of technetium(V) and (VII) complexes with bidentate nitrogen donor ligands. X-ray molecular structures of tetrabutylammonium bis(1,2-diimidobenzene)oxotechnetium(V) and tris(1,2-diimidobenzene)technetium(VII) pertechnetate, 191
Template synthesis
template synthesis of a ferrocene–metallocyclam conjugate, 115
Thiocyanate complexes
a polymeric 1:2 adduct of barium thiocyanate with pyridine betaine, $Ba(C_5H_5NCH_2CO_2)_2(NCS)_2$, 231
Thiourea complexes
main group metal halide complexes with sterically hindered thioureas XIII. Crystallographic study of a unique cross-linked polymeric dichlorolead(II) complex with 1,1′-methylenebis(3-methyl-2(3*H*)-imidazolethione), 53
Tin complexes
synthesis and studies of new tris(trimethylsilyl)silyl derivatives of germanium and tin, 211
Transition metal complexes
macrocyclic and macroacyclic compartmental Schiff bases: synthesis, characterization, X-ray structure and interaction with metal ions, 157
Trinuclear complexes
syntheses, crystal structure and spectroscopic properties of sulfur-bridged trinuclear complexes, $[\{Ru(TMP)_4\}_2(\mu\text{-}MS_4)](PF_6)_2$ (M = Mo,W; TMP = $P(OMe)_3$), 31

Water
splitting of water by irradiation of visible light with a grana–NADP–FNR–NAD–hydrogenase system, 1

Zinc complexes
the nature of zinc(II) bis(*O*,*O*′-dialkyl dithiophosphates) in ethanol: complexation or ionisation?, 3